

Web Images Videos Maps News Shopping Gmail more ▼

Search settings | Sign in



driver oid ndis

Search

Advanced Search

Web Results 1 - 50 of about 52,000 for **driver oid ndis**. (0.75 seconds)



Show options...

### 1. Porting Protocol **Driver OID** Request Handling to **NDIS** 6.0

As is the case with **NDIS** 5.x protocol **drivers**, **NDIS** serializes **OID** ... **NDIS** 6.0 protocol **drivers** can call NdisCancelOidRequest to cancel an **OID** request. ...  
msdn.microsoft.com/en-us/library/ee220597.aspx - [Cached](#) - [Similar](#)

### 2. Porting Miniport **Driver OID** Request Handling to **NDIS** 6.0

As is the case with **NDIS** 5.x miniport **drivers**, **NDIS** serializes **OID** requests so it does not call MiniportOidRequest until any pending request is complete. ...  
msdn.microsoft.com/en-us/library/ee220537.aspx - [Cached](#) - [Similar](#)  
[More results from msdn.microsoft.com »](#)

### 3. How can I access my **NDIS** miniport **driver** from a user-mode application?

Jan 23, 2009 ... **NDIS** Object Identifier (**OID**) API - With this approach the **NDIS** ... (WMI) can query and set **OIDs** maintained by **NDIS** miniport **drivers**. ...  
www.ndis.com/faq/QA10290101.htm - [Cached](#) - [Similar](#)

### 4. PCAUSA - **NDIS** IEEE 802.11 Notes

Jan 23, 2009 ... 3Com AirConnect **NDIS** **OID** Log. For this test the PCAGizmo **driver** is inserted above the 802.11 miniport. The adapter is a 3Com AirConnect ...  
www.ndis.com/papers/ieee802\_11\_notes.htm - [Cached](#) - [Similar](#)



Show more results from [www.ndis.com](#)

### 5. **NDIS** Object Identifiers

**NDIS** object identifiers (**OIDs**) are a set of system-defined constants that take the form

OID\_XXX. Higher-level **NDIS drivers** set these **OIDs** in an ...

[www.osronline.com/ddkx/network/21oidovw\\_8q9e.htm](http://www.osronline.com/ddkx/network/21oidovw_8q9e.htm) - [Cached](#) - [Similar](#)

## 6. MiniportReset

After the reset, **NDIS** will resubmit to the miniport **driver** any **OID** requests that were pending but not completed by the miniport **driver** before the reset. ...

[www.osronline.com/ddkx/network/101mini\\_5hiq.htm](http://www.osronline.com/ddkx/network/101mini_5hiq.htm) - [Cached](#) - [Similar](#)



[Show more results from www.osronline.com](#)

## 7. PCAGizmo NDIS OID Monitor

Jan 27, 2009 ... The "PCAGizmo" software consists of **NDIS** filter **drivers** and a companion Win32 console application that work together to log **NDIS OID** ...

[www.pcausa.com/Utilities/PCAGizmo/PCAGizmo.htm](http://www.pcausa.com/Utilities/PCAGizmo/PCAGizmo.htm) - [Cached](#) - [Similar](#)

## 8. NDIS Tools

Jan 27, 2009 ... **OID** Scope also allows the user to select and make any **NDIS** query ... using IOCTL\_NDIS\_QUERY\_GLOBAL\_STATS to access a **NDIS** miniport **driver**. ...

[www.pcausa.com/Utilities/ndistools.htm](http://www.pcausa.com/Utilities/ndistools.htm) - [Cached](#) - [Similar](#)



[Show more results from www.pcausa.com](#)

## 9. Custom OIDs in my NDIS IM Driver - One class with multiple items ...

1 post - 1 author - Last post: Jul 9

I have an existing **NDIS** IM **driver** which already contains some custom **OIDs** with their respective MOF definitions, NDIS\_GUID entries and so on ...

[www.codeguru.com/forum/showthread.php?t=480519](http://www.codeguru.com/forum/showthread.php?t=480519) - [Cached](#) - [Similar](#)

## 10. NDIS driver OID Windows NT Priviledge issue

Hi Do you know how to get a network **driver's** handle , and how to query / set **OIDs** with NT user priviledge ? Should I user any third-party protocol.

[www.winvistatips.com/ndis-driver-oid-windows-nt-priviledge-issue-t178474.html](http://www.winvistatips.com/ndis-driver-oid-windows-nt-priviledge-issue-t178474.html)

- [Cached](#) - [Similar](#)

## 11. Monitoring TAPI OIDs Through NDIS IM Driver

Is there a way for an IM **driver** to monitor TAPI **OIDs**/indications? My IM **driver** binds to NDISWAN but is only able to see WAN **OIDs** and indications.

[www.winvistatips.com/monitoring-tapi-oids-through-ndis-im-driver-t187859.html](http://www.winvistatips.com/monitoring-tapi-oids-through-ndis-im-driver-t187859.html)

- [Cached](#) - [Similar](#)



[Show more results from www.winvistatips.com](#)

## 12. [Microsoft Development Device \*\*Drivers\*\* Re: Custom \*\*OIDs\*\* for WMI in ...](#)

Hi Experts, I am trying to add custom **OIDs** for WMI testing in my **NDIS** miniport **driver**. I have created MOF file describing the classes and defined and ...

[www.eggheadcafe.com/.../custom-oids-for-wmi-in-nd.aspx](http://www.eggheadcafe.com/.../custom-oids-for-wmi-in-nd.aspx) - [Cached](#) - [Similar](#)

## 13. [Microsoft Windows Networking Wireless WLAN \*\*Driver\*\* Port to \*\*NDIS\*\* 6.0 ...](#)

I'm porting a WLAN **Driver** from **NDIS** 5.1 to **NDIS** 6.0 and I was just wondering if all of the **OID\_802\_11\_XXX OIDs** need to be deleted from the **driver**. ...

[www.eggheadcafe.com/.../wlan-driver-port-to-ndis.aspx](http://www.eggheadcafe.com/.../wlan-driver-port-to-ndis.aspx) - [Cached](#) - [Similar](#)



[Show more results from www.eggheadcafe.com](#)

## 14. [Set \*\*NDIS OIDs\*\* from eVC++](#)

6 posts - 4 authors - Last post: Oct 29, 2003

Basically, what you need to do is query/set the **OID** (object id's) via **NDIS** (network **driver** interface specification). From what I can tell ...

[forum.soft32.com/.../Set-NDIS-OIDs-eVC-ftopic164111.html](http://forum.soft32.com/.../Set-NDIS-OIDs-eVC-ftopic164111.html) - [Cached](#) - [Similar](#)

## 15. [Power suspend/resume on \*\*NDIS\*\* intermediate \*\*driver\*\*.](#)

3 posts - 3 authors - Last post: Jan 27, 2006

I am hunting inside the code, all of the power related **OIDs**

( **OID\_PNP\_QUERY\_POWER**, **OID\_PNP\_SET\_POWER**) is handled by the **NDIS** IM **driver** ...

[forum.soft32.com/.../Power-suspend-resume-NDIS-intermediate-driver-ftopic165036.html](http://forum.soft32.com/.../Power-suspend-resume-NDIS-intermediate-driver-ftopic165036.html) - [Cached](#) - [Similar](#)



[Show more results from forum.soft32.com](#)

16. [\*\*NDIS\*\* 5.1 IOCTL NDISUIO QUERY OID VALUE with a proprietary \*\*OID\*\*](#)

2 posts - 1 author - Last post: Nov 30, 2005

I can access standard **OIDs** such as OID\_802\_11\_BSSID. ... Smart phone not getting GPRS after **NDIS** miniport **driver** install, May 19, 2008, ...

[www.1-script.com/.../NDIS-5-1-IOCTL-NDISUIO-QUERY-OID-VALUE-with-a-proprietary-OI-article2708--15.htm](#) - [Cached](#) - [Similar](#)

17. [How to query 802.11 \*\*OIDs\*\* from \*\*NDIS\*\*](#)

4 posts - 1 author - Last post: May 17, 2005

**OIDs** when I query for the supported **OIDs** from NDISUIO **driver**. ... If you are getting the "not supported" status for these **NDIS** queries, then ...

[www.tomshardware.com/forum/37962-45-query-oids-ndis](#) - [Cached](#) - [Similar](#)

18. [QoS in Wi-Fi \*\*driver\*\* and winsock](#)

10 posts - 1 author - Last post: Dec 9, 2004

the MAC **driver** should expose it's QoS caps to be seen by OS and winsock. Is there some standard **NDIS OIDs** or characteristics, ...

[www.tomshardware.com/forum/14704-43-driver-winsock](#) - [Cached](#) - [Similar](#)

19. [microsoft.public.win32.programmer.networks: Re: \*\*NDIS Drivers\*\* ...](#)

Jan 21, 2005 ... Maybe in reply to: Skybuck Flying: "**NDIS Drivers**, Symbolic Names .... Pointer to a buffer that contains the query **OID** that **NDIS** should use. ...

[www.tech-archive.net/Archive/Development/.../0426.html](#) - [Cached](#) - [Similar](#)

20. [\*\*NDIS\*\* Miniport \*\*driver\*\* initialization](#)

Jul 12, 2007 ... I've got a SDIO-WLAN card for which I have a **NDIS** Miniport **driver**. ... and have the following relevant debug messages.. ... **OID** ...

[www.tech-archive.net/Archive/...public.../msg00249.html](#) - [Cached](#) - [Similar](#)



[Show more results from www.tech-archive.net](#)

21. [CodeProject: How to query miniport \*\*driver\*\* information \(802.11 \*\*OIDs\*\* ...](#)

Mar 28, 2008 ... Query 802.11 **OIDs** using DeviceIOControl from a C# application.; ...

An **NDIS** miniport **driver** has two main functions: managing the network ...

[www.codeproject.com/KB/system/DeviceIOControl1.aspx](http://www.codeproject.com/KB/system/DeviceIOControl1.aspx) - [Cached](#) - [Similar](#)

22. CodeProject: How to query miniport **driver** information (802.11 **OIDs** ...

Mar 28, 2008 ... An **NDIS** miniport **driver** has two main functions: managing the ... // passing **NDIS driver OID** into DeviceIOControl GCHandle handle = GCHandle. ...

[www.codeproject.com/KB/system/DeviceIOControl1.aspx?...](http://www.codeproject.com/KB/system/DeviceIOControl1.aspx?...) - [Cached](#) - [Similar](#)



[Show more results from www.codeproject.com](#)

23. WLAN **Driver** Port to **NDIS** 6.0 & **OIDs** - Microsoft Device **Drivers**

4 posts - 2 authors - Last post: Mar 12, 2007

I'm port a WLAN **Driver** from **NDIS** 5.1 to **NDIS** 6.0 and I was just wondering if all of the **OID\_802\_11\_XXX OIDs** need to be deleted from the ...

[www.techtalkz.com/...drivers/279093-wlan-driver-port-ndis-6-0-oids.html](http://www.techtalkz.com/...drivers/279093-wlan-driver-port-ndis-6-0-oids.html)

- [Cached](#) - [Similar](#)

24. Intel PRO/1000 **NDIS OIDs**: msg#00104 linux.**drivers**.e1000.devel

specific **OIDs**. Does anyone know if these are documented anywhere or are they ... the **NDIS** protocol **driver** comes in. The **NDIS** protocol **driver** allows us to ...

[osdir.com/ml/linux.drivers.e1000.devel/.../msg00104.html](http://osdir.com/ml/linux.drivers.e1000.devel/.../msg00104.html) - [Cached](#) - [Similar](#)

25. Clarifications regarding some **OID** values in **NDIS** miniport

3 posts - 2 authors - Last post: Nov 9, 2007

Could you please clarify my confusion regarding following **OIDs** and terms for an **NDIS** miniport **driver**. 1. MTU: According to my understanding ...

[www.ureader.com/msg/14772106.aspx](http://www.ureader.com/msg/14772106.aspx) - [Cached](#) - [Similar](#)

26. How to query 802.11 **OIDs** from **NDIS**

4 posts - 3 authors - Last post: May 17, 2005

However I am getting Not Supported for these **OIDs** when I query for the supported **OIDs** from **NDISUIO driver**. But even then if I need to query ...

[www.ureader.com/msg/127475.aspx](http://www.ureader.com/msg/127475.aspx) - [Cached](#) - [Similar](#)

27. How can I set WPS IE in 802.11 management frame with **NDIS driver** ?

Jan 23, 2009 ... I would expect that this would need to a vendor specific **OID** at least >>> for **NDIS 5 drivers**.. Luckily, most of the WPS functionality is ...  
[lists.shmoo.com/pipermail/hostap/2009.../019125.html](http://lists.shmoo.com/pipermail/hostap/2009.../019125.html) - [Cached](#) - [Similar](#)

28. How can I set WPS IE in 802.11 management frame with **NDIS driver** ?

Jan 20, 2009 ... I would expect that this would need to a vendor specific **OID** at least > for **NDIS 5 drivers**.. Luckily, most of the WPS functionality is ...  
[lists.shmoo.com/pipermail/hostap/2009.../019103.html](http://lists.shmoo.com/pipermail/hostap/2009.../019103.html) - [Cached](#) - [Similar](#)



[Show more results from lists.shmoo.com](#)

29. query 802\_11 **OID's** - Tech Support

If the same **driver** (i.e. binary file) supports the 802.11 **OID** on XP then the **driver** makes a distinction between **NDIS** 5.0 and 5.1 with respect to 802.1 **OIDs**, ...  
[www.techreplies.com/drivers-43/query-802\\_11-oids-328735/](http://www.techreplies.com/drivers-43/query-802_11-oids-328735/) - [Cached](#) - [Similar](#)

30. AirTies USB Remote **NDIS** Network Device - Device **Driver** Download

Traditionally, the **OIDs** are serviced by **NDIS** miniport **driver** that belongs to the adapter. Remote **NDIS** usually leverages the architecture and specification ...  
[www.liutilities.com/...driver/airties-usb-remote-ndis-network-device/](http://www.liutilities.com/...driver/airties-usb-remote-ndis-network-device/) - [Cached](#) - [Similar](#)

31. KB10290101 - [**NDIS**] **NDIS** Miniport User-Mode Interface Techniques

Jan 23, 2009 ... "How can I access my **NDIS** miniport **driver** from a user-mode application? ... **NDIS** Object Identifier (**OID**) API - With this approach the **NDIS** ...  
[www.rawether.net/support/KB10290101.htm](http://www.rawether.net/support/KB10290101.htm) - [Cached](#) - [Similar](#)

32. Constants Enumerations :: **NDIS** **OIDs**

The following chart summarizes the **OIDs** used to get or set Ethernet operational characteristics for underlying **NDIS drivers** and their NICs. ...  
[www.microolap.com/products/network/.../NDIS\\_OIDs.htm](http://www.microolap.com/products/network/.../NDIS_OIDs.htm) - [Cached](#) - [Similar](#)

33. How to query 802.11 **OIDs** from **NDIS**

4 posts - 3 authors - Last post: Dec 5, 2005

How to query 802.11 **OIDs** from **NDIS** - Windows XP **Drivers**. Visit our forum to discuss How to query 802.11 **OIDs** from **NDIS**.

[www.pcreview.co.uk/forums/thread-536712.php](http://www.pcreview.co.uk/forums/thread-536712.php) - [Cached](#) - [Similar](#)

34. [How to query 802.11 \*\*OIDs\*\* from \*\*NDIS\*\*](#)

4 posts - 3 authors - Last post: May 17, 2005

How to query 802.11 **OIDs** from **NDIS** Windows XP Device **Drivers**. ... the **OID** is listed as Optional, then that means that you probaly will never ...

[www.mcse.ms/message1610159.html](http://www.mcse.ms/message1610159.html) - [Cached](#) - [Similar](#)

35. [Microsoft Windows Device \*\*Driver\*\* Courses from Feabhas | \*\*NDIS\*\* ...](#)

Miniport interface to protocol **drivers** (upper edge) - Miniports upper edge functions

MiniportXxx - Network **OIDs** - **NDIS** library functions for miniports ...

[www.feabhas.com/...driver.../microsoft\\_windows\\_device\\_driver\\_courses\\_ndis-501.html](http://www.feabhas.com/...driver.../microsoft_windows_device_driver_courses_ndis-501.html) - [Cached](#) - [Similar](#)

36. [Extending the PassThru \*\*NDIS\*\* IM \*\*Driver\*\* - Part 1](#)

The input buffer is used to pass the **NDIS** object identifier (**OID**) of interest to the **driver**. The **driver's** protocol section will then make an NdisRequest ...

[www.wd-3.com/archive/ExtendingPassthru.htm](http://www.wd-3.com/archive/ExtendingPassthru.htm) - [Cached](#) - [Similar](#)

37. [CodeProject: How To Query Miniport \*\*Driver\*\* Information \(802.11 \*\*OIDs\*\* ...](#)

Mar 28, 2008 ... **NDIS** automatically registers GUID for standard miniport **driver OIDs**.

You can check the standard **NDIS** WMI classes using wbemtest.exe tool. ...

[69.10.233.10/KB/system/WMIInterface.aspx](http://69.10.233.10/KB/system/WMIInterface.aspx) - [Cached](#) - [Similar](#)

38. [wpa\\_supplicant on \*\*ndis\*\* cannot associate](#)

Does anyone have wpa\_supplicant working on an **ndis driver**? ... 58 58 58 XXX **NDIS**: turning radio on before the first scan ndis\_get\_oid: oid=0xd010101 len (6) ...

[lists.freebsd.org/pipermail/freebsd-net/2006.../011265.html](http://lists.freebsd.org/pipermail/freebsd-net/2006.../011265.html) - [Cached](#) - [Similar](#)

39. [Class \*\*NDIS\*\* \*\*Driver\*\*](#)

**NDIS Driver** Development. <--- Dates and Prices. <--- Registration ... **NDIS** Wrapper; Structure of a **NDIS** miniport **driver**; Interfaces to **NDIS**; **OID** Management ...

[www.sybera.de/english/e\\_class\\_ndis.htm](http://www.sybera.de/english/e_class_ndis.htm) - [Cached](#) - [Similar](#)

40. [NDIS driver - packet communication : \*\*ndis\*\* ...](#)

BTW I am expecting the **NDIS driver** to handle this IOCTL as an "**OID**", is that correct.

All help appreciated - Mike Wright. Question Stats. Zone: Programming ...  
[www.experts-exchange.com/.../System/.../Q\\_10036332.html](http://www.experts-exchange.com/.../System/.../Q_10036332.html) - [Cached](#) - [Similar](#)

41. WLAN Driver Port to **NDIS** 6.0 & **OIDs** - Windows XP Device Drivers

1 post - Last post: Apr 5, 2007

I'm porting a WLAN **Driver** from **NDIS** 5.1 to **NDIS** 6.0 and I was just wondering if all of the **OID\_802\_11\_XXX OIDs** need to be deleted from the ...

[www.realgeek.com/.../wlan-driver-port-to-ndis-6-0-and-oids-98472.html](http://www.realgeek.com/.../wlan-driver-port-to-ndis-6-0-and-oids-98472.html)  
- [Cached](#) - [Similar](#)

42. CodeMachine Seminars Windows Network Drivers Course

Jul 4, 2009 ... **NDIS** Concepts; Miniport **Drivers**; Protocol **Drivers**; Adapter Bindings; IM **Drivers** & Notify Objects; **NDIS** Internal Data Structures; **OIDs** ...

[www.codemachine.com/netdrv.html](http://www.codemachine.com/netdrv.html) - [Cached](#) - [Similar](#)

43. discussion-pcausa : Message: Re: [discussion-pcausa] Re: sending ...

disable **NDIS** Task Offload by filtering certain **OIDs**. > > Hope this helps. (The PCAUSA **NDIS** IM **driver** samples illustrate how to do > this...). ...

[tech.groups.yahoo.com/group/discussion-pcausa/.../4770](http://tech.groups.yahoo.com/group/discussion-pcausa/.../4770) - [Cached](#) - [Similar](#)

44. **NDIS** 5.1 IOCTL NDISUIO\_QUERY OID\_VALUE with a proprietary **OID** ...

4 posts - 2 authors

by our **NDIS** 5.1 miniport. I can access standard **OIDs** such as **OID\_802\_11\_BSSID** ... data to be set is not in the buffer at the **driver** and the call to ...

[www.mombu.com/.../t-ndis-51-ioctl-ndisuiio-query-oid-value-with-a-proprietary-oid-1482674.html](http://www.mombu.com/.../t-ndis-51-ioctl-ndisuiio-query-oid-value-with-a-proprietary-oid-1482674.html) - [Cached](#) - [Similar](#)

45. C#, DeviceIoControl, and **NDIS OIDs**

3 posts - 1 author - Last post: Sep 16, 2008

Secondly, I want to set the values of any writable data (=OIDs), to something I want them to be, of any **NDIS** network **driver**. ...

[social.msdn.microsoft.com/.../02e193f7-3f07-4c5c-9968-ac25ea96622b](http://social.msdn.microsoft.com/.../02e193f7-3f07-4c5c-9968-ac25ea96622b)  
- [Cached](#) - [Similar](#)

46. **NDIS** 5.0 and Vista 64bit: no - microsoft.public.development.device ...

3 posts - 2 authors - Last post: Jun 30

The messages i get after starting the **driver**: **NDIS\_OID Oid**: .... Let's come back to my



**ndis** problem. i changed my code to support also ...

[groups.google.com/group/...drivers/.../62f9a8ee49a05410](#) - [Cached](#) - [Similar](#)

47. [SecurityFocus](#)

Nov 22, 2008 ... WLC\_SET\_MONITOR is handled inside windows **ndis driver**!

win\_wl\_ioctl() is never called directly, instead few **ndis OIDs** (eg. ...

[www.securityfocus.com/archive/137/498570/30/.../threaded](#) - [Cached](#) - [Similar](#)

48. [Full Disclosure: \[tool\] Broadcom \*\*NDIS driver\*\* monitor enabler \(or ...](#)

Nov 22, 2008 ... win\_wl\_ioctl() is never called directly, instead few **ndis OIDs** (eg. ...

Fully functional monitor mode inside **ndis driver**. ...

[seclists.org/fulldisclosure/2008/Nov/0506.html](#) - [Similar](#)

49. [wpa\\_supplicant with \*\*NDIS\*\*-wrapped wireless card and WPA-PSK reboots ...](#)

Feb 28, 2006 ... **oid**=0xd010122 len (512) failed **NDIS**: verifying **driver** WPA

capability ... supported **NDIS: driver** supports WPA **NDIS: driver** capabilities: ...

[markmail.org/message/4g6vpcs3b3qtcuyu](#) - [Cached](#) - [Similar](#)

50. [Method and system for abstracting network device \*\*drivers\*\* - US ...](#)


For example, remote **NDIS** messages that encapsulate **NDIS OIDs** 513 are exchanged with the communications interface 523 of USB bus **driver** 521. ...

[www.patentstorm.us/patents/6633929/description.html](#) - [Similar](#)

Searches related to: **driver oid ndis**

[ndis miniport driver](#)

[windows xp ndis](#)



driver oid ndis

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#)

- [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)